



8	COPPER GRAIN	BRASS
7	MIDDLE BODY	BRASS
6	RING SEALING	RUBBER
5	WASHER	BRASS
4	PIN	BRASS
3	BACK COVER	BRASS
2	BODY	BRASS
1	DIELECTRIC	TEF
ITEM	DESIGNATION	MATERIAL
REV	PART NO. & SAMPLE NO.	DATE
A	10309	
B		

TOLERANCE		SIGNATURES		DATE
0 - 10	±0.05	DRAFT: wang lan CHECKED:		29.05.18
10 - 99	±0.5			
100 - 999	±10.0			
1000 - 9999	±100.00			
10000 - 99999	±1000.00			
		APPROVAL:		
SHEET		SCALE	UNIT	REV
OF		1:1	mm	Ø



	
TITLE	N Female Clamp Type (RG-213U)
CUSTOMER	






5	CRIMPING TUBE	Cu	
4	PIN	Cu	
3	BACK COVER	Cu	
2	BODY	Cu	
1	DIELECTRIC	TEF	
ITEM	DESIGNATION	MATERIAL	
REV	PART NO.& SAMPLE NO.	DATE	BY
A	10310		
B	10310		

TOLERANCE		SIGNATURES		DATE
		DRAFT: YangYangRui CHECKED: HuGangXue		06.10.24
		APPROVAL:		
SHEET		SCALE	UNIT	REV
OF		1:1	mm	0



	
TITLE	N Female Crimp Type
CUSTOMER	IL-23






5	DIELECTRIC	POM
4	COPPER TUBE	BRASS
3	PIN	BRASS
2	BACK PART	BRASS
1	BODY	BRASS
ITEM	DESIGNATION	MATERIAL
REV.	ECO	PART NO.
A0		10340
B		

TOLERANCE	SIGNATURES	DATE
0 - 10 ±0.05 10 - 99 ±0.5 100 - 999 ±10.0 1000 - 9999 ±100.00 10000 - 99999 ±1000.00	DRAFT: YangYongRui CHECKED: HuGongXue	05.08.05
APPROVAL:	SCALE	UNIT
SHEET	1:1	mm
OF		

TITLE	N Female Crimp Type
CUSTOMER	



5	CRIMPING TUBE	BRASS
4	PIN	BRASS
3	BACK COVER	BRASS
2	BODY	BRASS
1	DIELECTRIC	POM
ITEM	DESIGNATION	MATERIAL
REV.	PART NO. & SAMPLE NO.	DATE
A	10342	
B		

TOLERANCE	SIGNATURES	DATE
0 - 10 ±0.05 10 - 99 ±0.5 100 - 999 ±10.0 1000 - 9999 ±100.00 10000 - 99999 ±1000.00	DRAFT: wang lan CHECKED:	29.05.18
APPROVAL:	SCALE	UNIT
SHEET	1:1	mm
OF		

TITLE	N Female Crimp Type RG6/U
CUSTOMER	