





CURRENT RATING: AC: 0.5A ~ 5A 1000V

VOLTAGE: DC: 0.5 ~ 3A 500V




6	CRIMPING PATCH	BRASS
5	SOLDERING PATCH	BRASS
4	SHELL	PE
3	BODY	BRASS
2	INSULATOR	POM
1	INSIDE TUBE	BRASS

ITEM	DESIGNATION	MATERIAL
REV.	PART NO. & SAMPLE NO.	BY
A	12305	
B		

TOLERANCE	SIGNATURES	DATE
0 - 10 ±0.05 10 - 99 ±0.5 100 - 999 ±10.0 1000 - 9999 ±100.00 10000 - 99999 ±1000.00	DRAFT: ZHOU XIN GUO CHECKED: CHENG HOU PING	13-12-2016 13-12-2016
APPROVAL:	SCALE	UNIT
SHEET	1:1	mm
OF		


TITLE	DC Plug 2.5x5.5x14mm Bakelite.
CUSTOMER	



3	PLASTIC HANDLE	PE
2	BODY	BRASS
1	DIELECTRIC	POM
ITEM	DESIGNATION	MATERIAL
REV.	PART NO. & SAMPLE NO.	DATE
A	12307	
B		

TOLERANCE	SIGNATURES	DATE
0 - 10 ±0.05 10 - 99 ±0.5 100 - 999 ±10.0 1000 - 9999 ±100.00 10000 - 99999 ±1000.00	DRAFT: ZHOU XIN GUO CHECKED:	15-01-2013
APPROVAL:	SCALE	UNIT
SHEET	1:1	mm
OF		


TITLE	DC Plug 2.5X5.5X9mm
CUSTOMER	



6	CRIMPING PATCH	Cu
5	DIELECTRIC	POM
4	SOLDERING PATCH	Cu
3	BODY	Cu
2	PLASTIC HANDLE	PE
1	DIELECTRIC	POM
ITEM	DESIGNATION	MATERIAL
REV	PART NO. & SAMPLE NO.	DATE BY
A	12309	
B	12309	

TOLERANCE		SIGNATURES		DATE
 		DRAFT: YangYangRui		06.10.25
		CHECKED: HuGangXue		
			APPROVAL:	
SHEET	SCALE	UNIT	REV	
OF	1:1	mm	0	


	
TITLE	DC Plug 2.5X5.5X14mm Bakelite
CUSTOMER	IL-23




Soldered Drawing:

2.5x5.0mm DC Plug

Stripped End



DESCRIPTION				TOLERANCE		SIGNATURES		DATE		
				3 - 10 100% 10 - 100 100% 100 - 1000 100% 1000 - 10000 100%		DRAFT:Yang Yong Rui CHECKED: Mo Xiao Li		DB.1.D.20		
REV	DESIGNATION	DATE	BY	 	APPROVAL:				TITLE	2.5x5.0mm DC Plug To Stripped End Jack
A	12334				SHEET	SCALE	UNIT	REV	CUSTOMER	IL-23
B	12334				OF	1:1	mm	3	EMIT P/N:	HY-PM-0001



Soldered Drawing:


2.5mm DC Plug

Stripped End

Black

Black+White

DESCRIPTION				TOLERANCE		SIGNATURES		DATE		
REV	DESIGNATION	DATE	BY	± 0.1 0.05 0.02 0.01 0.005	± 0.05 ± 0.02 ± 0.01 ± 0.005 ± 0.002	DRAFT: Yang Yong Rui	08.10.20	TITLE	2.5mm DC Plug To Stripped End Jack	
A	12338					CHECKED: Mo Xiao Li				
B	12338			SHEET		SCALE	UNIT			REV
C				OF		1:1	mm	1	EMIT P/N:	HY-PM-0001



Soldered Drawing:

2.5*5.5mm DC Plug

Stripped End

Black

Black+White

```
current rating: 0.5Amps
```

voltage rating: 230V

			TOLERANCE		SIGNATURES		DATE		
			0 - 10 ±0.05 10 - 99 ±0.5 100 - 999 ±10.0 1000 - 9999 ±100.00 10000 - 99999 ±1000.00		DRAFT: ZHOU XIN GUO		07-06-2017		
					CHECKED: XU FU YOU				
REV	12343	BY			APPROVAL:			TITLE	2.5*5.5mm DC Plug To Stripped End Jack
A	JR 8521C		SHEET		SCALE	UNIT	REV		
B			OF		1:1	mm	∅		