
COMPANICS
Communication & Electronics LTD

כומפניקס תקשורת ואלקטרוניקה בע"מ
הבורסקאי 1 א.ת. סגולה, פ"ת | ספק מ. הביטחון: 83524121 | ח.פ: 512109968
03-9049004 טל' / | www.companics.co.il | sales@companics.co.il

Model Number 71500B
1×2/4/8 HDMI Splitter 4K@60Hz

Description:

1×2/4/8 HDMI splitter distributes 1 HDMI source to 8 HDMI displays simultaneously. Apply for STB, DVD, Media Player, Laptop, D-VHS and other HD-Player devices. It's Compatible with HDMI 3D and 4Kx2K.



לצפייה באתר לחץ כאן


Features:

- Distribute 1 HDMI source to ×2/4/8 HDMI displays
- Support ultra HD resolution 4Kx2K@60Hz
- Support HDMI 3D
- Support YUV 4:4:4
- Support HDR
- HDMI 2.0 and HDCP2.2 compliant
- Low power consumption
- Support configures the video resolution automatically according to the capabilities of each connected monitor, allows simultaneous mixed 4K and 1080p display outputs
- Plug and play
- With EDID function
- Good compatibility
- Metal heat sink design


Specifications:

Item	1×8 HDMI Splitter 4K@60Hz		
Model	**18127H**	**18119H**	**18143H**
Input Ports	1 x HDMI		
Output Ports	8 x HDMI	4 x HDMI	2 x HDMI
Power Indicator	led 1 xLED		
Signal Indicator	led 8 xLED	led 4 xLED	led 2 xLED
HDMI Version	Compatible with HDMI1.4,HDMI 2.0		
HDCP Version	Compatible with HDCP1.4,HDCP 2.2		
HDMI Resolution	480i/480p/576i/576p/720p/1080i/1080p/ 4K×2K@24/25/30/60Hz		
Frequency Range	25MHz~600MHz	25MHz~594MHz	
Video Form	Support 3D video and 4K×2K@30/60Hz ultra HD video		
Input and Output TMDS	signal 0.7~1.5Vp-p (TMDS)		
Input and Output DDC Signal	5Vp-p(TTL)		
Audio	Support standard audio and DSD（Direct Stream Digital) and HD(HBR) audio		
HDR	Support		
EDID Management	Support smart EDID management, available to display different resolution monitors at the same time		
Working Temperature	0℃ ~ 60℃		
Power Supply	12V/1A	DC5V/1A	
Power Consumption	8W	3W	2.5W
Dimension mm	262(L)x81.6(W)x23.5(H)	158(L)x80(W)x17(H)	96(L)x59(W)x16.8(H)
Weight	453g	200g	100g
Color	Black		

Front Panel:



Rear Panel:



Wire:

