


ZYCOO



EC15D

Ceiling Speaker

Applicable Scenarios



Schools



Health Care



Shopping Centers

Train/Bus
Stations

Restaurants

Garden
Pubs

Residential



Retail Shops



Airports

Office
Buildings

Warehouses



Hotels

Features

- Adopt fashionable rounded edges and carbon alloy aluminum grille with RAL white coating so as to integrate with any indoors perfectly.
- Equipped with 8" full-range loudspeaker with magnetic circuit encapsulated with special engineering plastic process, and the drum paper formed with tripping and hot pressing of algae salvaged organisms, for super-strong reproduction of voice and music.
- In compliance with IEC268-5 PHC standard, it can work continuously for 100 hours and carry out SAFE test under the rated power.
- Can bear twice rated power in a short time, which ensures the reliability of the speaker under extreme conditions, extends service life and greatly reduces the chance of failures or performance degradation.
- The robust clip design is reliable, making the installation process easier.

Specifications

Speaker

Speaker component	8"full-range driver unit
Sensitivity	97dB/1m/1W
Max sound pressure level	109dB
Rated power (RMS)	15W
Impedance	8Ω
Frequency range	60Hz – 17KHz

Mechanical Properties

Color	White
Grille	Carbon Alloy Aluminum
Dimension	Ø232 x 132 mm (9.13 x 5.20 in)
Weight	1.1KG



zycoo@zycoo.com

www.zycoo.com

© 2025 Zycoo Communications LLC All rights reserved